

## Chapter 10 Correlation and Regression

We deal with two variables,  $x$  and  $y$ .

Main goal: investigate how  $x$  and  $y$  are related, or *correlated*, how much they depend on each other.

1

## Example

- $x$  is the height of mother
- $y$  is the height of daughter

Question: are the heights of daughters independent of the height of their mothers? Or is there a correlation between the heights of mothers and those of daughters? How strong is it?

2

## Example:

This table includes a random sample of heights of mothers, fathers, and their daughters.

Heights of mothers and their daughters in this sample seem to be strongly correlated...

But heights of fathers and their daughters in this sample seem to be weakly correlated (if at all).

Height of Mother	Height of Father	Height of Daughter
63	64	58.6
67	65	64.7
64	67	65.3
60	72	61.0
65	72	65.4
67	72	67.4
59	67	60.9
60	71	63.1
58	66	60.0
72	75	71.1
63	69	62.2
67	70	67.2
62	69	63.4
69	62	68.4
63	66	62.2
64	76	64.7
63	69	59.6
64	68	61.0
60	66	64.0
65	68	65.4

3

## Section 10-2

### Correlation between two variables ( $x$ and $y$ )

## Definition

A **correlation** exists between two variables when the values of one are somehow associated with the values of the other in some way.

5

## Key Concept

**Linear correlation coefficient,  $r$** , is a numerical measure of the strength of the relationship between two variables representing quantitative data.

Using paired sample data (sometimes called bivariate data), we can find the value of  $r$ .

Then we use that value to conclude that *there is* (or *is not*) a linear correlation between the two variables.

6

## Definition

The **linear correlation coefficient**  $r$  measures the strength of the linear relationship between the paired quantitative  $x$ - and  $y$ -values in a sample.

Also called **Pearson correlation coefficient**

7


## Exploring the Data

We can often see a relationship between two variables by constructing a **scatterplot**.

8


## Scatterplots of Paired Data

ActivStats



(a) Positive correlation:  
 $r = 0.851$

ActivStats




(b) Negative correlation:  
 $r = -0.965$

9

## Scatterplots of Paired Data

ActivStats




(c) No correlation:  $r = 0$

10

## Scatterplots of Paired Data

Minitab



(d) Nonlinear relationship:  $r = -0.087$

11

## Requirements

1. The sample of paired  $(x, y)$  data is a random sample of quantitative data.
2. Visual examination of the scatterplot must confirm that the points approximate a straight-line pattern.
3. The outliers must be removed if they are known to be errors.

12

## Notation for the Linear Correlation Coefficient

- $n$  = number of pairs of sample data
- $\Sigma$  denotes the addition of the items indicated.
- $\Sigma x$  denotes the sum of all  $x$ -values.
- $\Sigma x^2$  indicates that each  $x$ -value should be squared and then those squares added.
- $(\Sigma x)^2$  indicates that the  $x$ -values should be added and then the total squared.

13

## Notation for the Linear Correlation Coefficient

- $\Sigma xy$  indicates that each  $x$ -value should be first multiplied by its corresponding  $y$ -value. After obtaining all such products, find their sum.
- $r$  = linear correlation coefficient for **sample** data.
- $\rho$  = linear correlation coefficient for **population** data.

14

## Formula

The **linear correlation coefficient**  $r$  measures the strength of a linear relationship between the paired values in a **sample**.

$$r = \frac{n(\Sigma xy) - (\Sigma x)(\Sigma y)}{\sqrt{n(\Sigma x^2) - (\Sigma x)^2} \sqrt{n(\Sigma y^2) - (\Sigma y)^2}}$$

15

## Properties of the Linear Correlation Coefficient $r$

1.  $-1 \leq r \leq 1$
2. **if all values of either variable are converted to a different scale, the value of  $r$  does not change.**
3. **The value of  $r$  is not affected by the choice of  $x$  and  $y$ .** Interchange all  $x$ - and  $y$ -values and the value of  $r$  will not change.
4.  **$r$  measures strength of a linear relationship.**
5.  $r$  is very sensitive to outliers, they can dramatically affect its value.

16