


← → ↻ ↕ localhost:8084


Home Documentation Configuration Examples Wiki Mailing Lists Find Help

Apache Tomcat/8.0.20



http://www.apache.org/

If you're seeing this, you've successfully installed Tomcat. Congratulations!



Recommended Reading:

- [Security Considerations HOW-TO](#)
- [Manager Application HOW-TO](#)
- [Clustering/Session Replication HOW-TO](#)

Server Status

Manager App

Host Manager

Developer Quick Start

| | | | |
|---------------------------------------|----------------------------------|--------------------------|--|
| Tomcat Setup | Realms & AAA | Examples | Servlet Specifications |
| First Web Application | JDBC DataSources | | Tomcat Versions |

Write server IP and port in address bar

Click on “manager APP” button

Enter given username and password

Tomcat Web Application Manager

Message: OK - Undeployed application at context path /lab1

Manager

[List Applications](#) [HTML Manager Help](#) [Manager Help](#) [Server Status](#)

Applications

| Path | Version | Display Name | Running | Sessions | Commands |
|----------|----------------|----------------------------|---------|----------|---|
| / | None specified | Welcome to Tomcat | true | 0 | Start <input type="button" value="Stop"/> <input type="button" value="Reload"/> <input type="button" value="Undeploy"/> <input type="button" value="Expire sessions"/> with idle <input type="text" value="30"/> minutes |
| /manager | None specified | Tomcat Manager Application | true | 11 | Start <input type="button" value="Stop"/> <input type="button" value="Reload"/> <input type="button" value="Undeploy"/> <input type="button" value="Expire sessions"/> with idle <input type="text" value="30"/> minutes |

Deploy

Deploy directory or WAR file located on server

Context Path (required):
XML Configuration file URL:
WAR or Directory URL:

WAR file to deploy

Select WAR file to upload: No file chosen

Click on "choose file" button and navigate to your WAR file location

Message: OK - Undeployed application at context path /lab1

Manager

[List Applications](#) [HTML Manager Help](#) [Manager Help](#) [Server Status](#)

Applications

| Path | Version | Display Name | Running | Sessions | Commands |
|----------|----------------|----------------------------|---------|----------|--|
| / | None specified | Welcome to Tomcat | true | 0 | Start Stop Reload Undeploy Expire sessions with idle ≥ 30 minutes |
| /manager | None specified | Tomcat Manager Application | true | 11 | Start Stop Reload Undeploy Expire sessions with idle ≥ 30 minutes |

Deploy

Deploy directory or WAR file located on server

Context Path (required):

XML Configuration file URL:

WAR or Directory URL:

WAR file to deploy

Select WAR file to upload: AddToEmailList-J.war

After choosing the file need to click on “Deploy” button



Tomcat Web Application Manager

Message:

| | | | |
|-----------------------------------|-----------------------------------|------------------------------|-------------------------------|
| Manager | | | |
| List Applications | HTML Manager Help | Manager Help | Server Status |

| Applications | | | | | |
|----------------------------------|----------------|----------------------------|---------|----------|---|
| Path | Version | Display Name | Running | Sessions | Commands |
| / | None specified | Welcome to Tomcat | true | 0 | Start <input type="button" value="Stop"/> <input type="button" value="Reload"/> <input type="button" value="Undeploy"/> <input type="button" value="Expire sessions"/> with idle > <input type="text" value="30"/> minutes |
| AddToEmailList-J | None specified | | true | 0 | Start <input type="button" value="Stop"/> <input type="button" value="Reload"/> <input type="button" value="Undeploy"/> <input type="button" value="Expire sessions"/> with idle > <input type="text" value="30"/> minutes |
| /manager | None specified | Tomcat Manager Application | true | 11 | Start <input type="button" value="Stop"/> <input type="button" value="Reload"/> <input type="button" value="Undeploy"/> <input type="button" value="Expire sessions"/> with idle > <input type="text" value="30"/> minutes |

Finding which project to test by clicking on the name

Join our email list

To join our email list, enter your name and email address below.
Then, click on the Submit button.

First name:

Last name:

Email address:

The running project on testing



Tomcat Web Application Manager

Message:

Manager

[List Applications](#) [HTML Manager Help](#) [Manager Help](#) [Server Status](#)

Applications

| Path | Version | Display Name | Running | Sessions | Commands |
|-----------------------------------|----------------|----------------------------|---------|----------|--|
| / | None specified | Welcome to Tomcat | true | 0 | Start <input type="button" value="Stop"/> <input type="button" value="Reload"/> <input type="button" value="Undeploy"/> Expire sessions with idle ≥ <input type="text" value="30"/> minutes |
| /AddToEmailList-J | None specified | | true | 0 | Start <input type="button" value="Stop"/> <input type="button" value="Reload"/> <input type="button" value="Undeploy"/> <input type="button" value="Undeploy"/> Expire sessions with idle ≥ <input type="text" value="30"/> minutes |
| /manager | None specified | Tomcat Manager Application | true | 11 | Start <input type="button" value="Stop"/> <input type="button" value="Reload"/> <input type="button" value="Undeploy"/> Expire sessions with idle ≥ <input type="text" value="30"/> minutes |

To delete project from server (Undeploy)