

Types of Botanical Preparations

Botanical preparations comprise different categories, most of common use are

I- Non-Section Preparations

These are prepared without sectioning.

II-Section Preparations

Hence tissues are cut into very thin slices.

III- Cell and Tissue Cultures (details in another course at 4th level)

These allow cells and tissues to live and grow outside the body (i.e. *in vitro*) by incubating them in special media.

I- Non-Section Preparations

These comprise macroscopic and microscopic preparations.

A. Macroscopic Preparations

1-Dry preparations

as bulk specimens and herbarium sheets.

2- Wet preparations

as museum-jar preparations.

B. Microscopic Preparations

- These depend on the nature of the prepared material.
- They can be roughly classified into the followings:

1- Whole mount preparations

These are mostly concerned with preparations of **filamentous** (e.g. *Spirogyra*) and **thalloid** forms that is small enough to be **entirely mounted** on a glass slide and studied by the transmitted light.

2- Smear preparations

Smearing is to spread the material into a very thin layer, or film, so that its elements are individually distinguishable. Therefore, smearing is **restricted to** materials of **fluid** or **semifluid** nature (e.g. suspension of bacteria, diatoms, yeast, pollen grains, etc...).

3- Squash preparations

This is a special type of smear preparations employed for **soft tissues** by crushing them between the slide and the cover slip (cf., **Feulgen technique**).

4- Macerated preparations

Maceration is to separate **tight tissue** elements through chemical dissociation methods (e.g. Hydrolysis of root tips by HCl).

5- Teased preparations

Teasing means the **manual pulling** apart of tissue elements usually by fine needles. This can be applied to **fibrous tissues** (e.g. Separation of xylem vessels to examine the different patterns of secondary thickening).

6- Peeling of epidermal cells

Peeling represents one of special techniques which are performed for particular studies. Epidermal peels are successfully applied to study the epidermal tissue whereas a small piece is **stripped, mounted** in water then **examined**. Peels are prepared manually or with the aid of a sharp blade.

N.B.

Techniques employed for making microscopic non-section preparations permanent involve steps similar to these of section preparations except for embedding (in a supportive material) and cutting.

II- Section Preparations

Sectioning keeps the constituent cells undisturbed. However, it is laborious: time consuming and requires much training. Tissues are usually sliced with either **free hand** or special instruments called **microtomes**.

A. Types of Microtomes

Microtomes of common use are

1. Sliding types

These with the specimen fixed and the razor moving horizontally.

2. Rotary types

These with the razor fixed and the specimen moving vertically.

3. Special types (for specific studies)

a. Ultramicrotome

It is rotary type used in the preparation of EM sections (25-100 nm, mμ thick).

b. Freezing microtome

Freezing in this type is accomplished **by** either a **freezing agent** as **solid CO₂** (dry ice) in the sliding type or **electrically** in the rotary type 'Cryostat'.

B. Sectioning of Unembedded Tissues

Unembedded tissues are cut **without embedding** in a suitable matrix (e. g. paraffin wax) to support tissues against the impact of the knife. However, sectioning can be aided by **enclosing** the specimen by an **external supporting material**.

According to the nature of the experimental tissue, section preparations involve three main categories

1- Free hand Sectioning

This is applied to **rigid tissues** (eg. T.S. in a young stem) using a sharp blade. Sectioning can be aided by enclosing of material between pieces of pith.

2- Sectioning with Sliding Microtomes

This is employed for **stiff specimens** from which, it is difficult to obtain complete sections by free hand technique.

3- Sectioning with Freezing Microtomes

This is employed for too **soft** or **fragile tissues**. These tissues are usually **enveloped** in a fluid or semifluid medium that, on freezing, affords additional support (as gelatin or gum Arabic).

Advantages

- This method is quick.
- Freezing preserves the chemistry of tissues as no heating is used. Therefore, it is applied to demonstrate the activity of enzymes.

Disadvantages

- This method gives non-serial and thick sections.
- These sections are very difficult to be cut and stained.

C. Sectioning of Embedded Tissues

There are three main techniques used in preparing sections from embedded tissues namely **paraffin**, **celloidin** and **electron microscopy** techniques whereas **rotary-**, **sliding-** and **ultra types of microtomes** are used respectively. (cf., the succeeding laboratory notes).